


$R=108.5$
 $\pm 25^\circ$
 Max. $\varnothing 10.8$
 $1=3$

Angle: +/- 25°
Diamètre max: 10.8 [mm]

GSW-251



Machine: CITIZEN Cincom

Type: M416 V / VII

Location, N°: Gangtool, B axis

Work on: Main spindle

Type of work: Whirling head

n_{max} : 5'333.3 [rpm]

$i (n_i / n_o)$: 3 / 2

Attachement: -


Without coolant

Infos:

Angle: +/- 25°


Max. diameter: 10.8 [mm]

GSW-251



Maschine: CITIZEN Cincom
Typ: M416 V / VII
Position, N°: Vertikalhalter. Achse B
Arbeit über: Hauptspindel
Arbeitstyp: Wirbelkopf
 $n_{\max}$: 5'333.3 [rpm]
 $i (n_i / n_o)$: 3 / 2
Befestigung: -
Ohne Kühlmittel
Infos:
Winkel: +/- 25°
Max. Durchmesser: 10.8 [mm]

GSW-251



Macchina: CITIZEN Cincom
 Tipo: M416 V / VII
 Posizione, N°: Slitta lineare, asse B
 Lavoro al: Mandrino principale
 Tipo di lavoro: Whirling head
 n_{max} : 5'333.3 [rpm]
 $i (n_i / n_o)$: 3 / 2
 Ataccamento: -
 Senza refrigerante
 Informazioni:
 Angolo: +/- 25°
 Diametro max: 10.8 [mm]