


BW20-GSC-105-4x

Machine: TSUGAMI

Type: BW207 – BW208 – BE208Z – BW209Z

Emplacement, N°: T01 - T02 – T11 – T12

Travail sur: Broche principale


Type de travail:  $n_{\max}$: 30'400 [rpm] $i (n_i / n_o)$: 1 / 3.8

Attachement: ER8

Sans refroidissement

Infos:

BW20-GSC-105-4x



Machine: TSUGAMI

Type: BW207 – BW208 – BE208Z – BW209Z

Location, N°: T01 - T02 – T11 – T12

Work on: Main spindle

Type of work: 


n_{max} : 30'400 [rpm]

i (n_i / n_o): 1 / 3.8


Attachement: ER 8

Without coolant

Infos:

BW20-GSC-105-4x

Maschine: TSUGAMI
Typ: BW207 – BW208 – BE208Z – BW209Z
Position, N°: T01 - T02 – T11 – T12
Arbeit über: Hauptspindel
Arbeitstyp: 
 $n_{\max}$: 30'400 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
Befestigung: ER 8
Ohne Kühlmittel
Infos:

BW20-GSC-105-4x

Macchina: TSUGAMI
Tipo: BW207 – BW208 – BE208Z – BW209Z
Posizione, N°: T01 - T02 – T11 – T12
Lavoro al: Mandrino principale
Tipo di lavoro: 
 $n_{\max}$: 30'400 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
Ataccamento: ER 8
Senza refrigerante
Informazioni: