


## BO7-GSC07-4x



Machine: Tsugami

Type: B073 - III, B074 - III, B0123 - III, B0124 - III, B0203 - III, B0204 - III,  
 B075 - III, B0125 - III, B0126 - III, B0205 - III, B0206 - III,  
 P013, P014, P033, P034,  
 S205, S206,  
 B0265 - II, B0265B - II, B0266 - II, B0325 - II, B0326 - II

Emplacement, N°: Y7551

Travail sur: Broche principale

Type de travail: 

$n_{\max}$ : 22'800 [rpm]


$i (n_i / n_o)$ : 1 / 3.8

Attachement: ER11

Sans refroidissement

Infos:

## BO7-GSC07-4x



Machine: Tsugami

Type: B073 - III, B074 - III, B0123 - III, B0124 - III, B0203 - III, B0204 - III,  
 B075 - III, B0125 - III, B0126 - III, B0205 - III, B0206 - III,  
 P013, P014, P033, P034,  
 S205, S206,  
 B0265 - II, B0265B - II, B0266 - II, B0325 - II, B0326 - II

Location, N°: Y7551

Work on: Main spindle

Type of work: 

$n_{max}$ : 22'800 [rpm]


$i (n_i / n_o)$ : 1 / 3.8

Attachement: ER 11

Without coolant

Infos:

## BO7-GSC07-4x



Maschine: Tsugami

Typ: B073 - III, B074 - III, B0123 - III, B0124 - III, B0203 - III, B0204 - III,  
 B075 - III, B0125 - III, B0126 - III, B0205 - III, B0206 - III,  
 P013, P014, P033, P034,  
 S205, S206,  
 B0265 - II, B0265B - II, B0266 - II, B0325 - II, B0326 - II

Position, N°: Y7551

Arbeit über: Hauptspindel

Arbeitstyp: 

$n_{max}$ : 22'800 [rpm]


$i (n_i / n_o)$ : 1 / 3.8

Befestigung: ER 11

Ohne Kühlmittel

Infos:

## BO7-GSC07-4x



Macchina: Tsugami

Tipo: B073 - III, B074 - III, B0123 - III, B0124 - III, B0203 - III, B0204 - III,  
 B075 - III, B0125 - III, B0126 - III, B0205 - III, B0206 - III,  
 P013, P014, P033, P034,  
 S205, S206,  
 B0265 - II, B0265B - II, B0266 - II, B0325 - II, B0326 - II

Posizione, N°: Y7551

Lavoro al: Mandrino principale

Tipo di lavoro: 

$n_{max}$ : 22'800 [rpm]

$i (n_i / n_o)$ : 1 / 3.8

Ataccamento: ER 11

Senza refrigerante

Informazioni: