


RSC1107-4x

Machine: CITIZEN Cincom

Type: L32

Emplacement, N°: T21 – T23


Travail sur: Broche principale

Type de travail:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Attachement: ER11

Sans refroidissement

Infos:

RSC1107-4x

Machine: CITIZEN Cincom

Type: L32

Location, N°: T21 – T23


Work on: Main spindle

Type of work:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Attachement: ER 11

Without coolant

Infos:

RSC1107-4x

Machine: CITIZEN Cincom

Typ: L32

Position, N°: T21 – T23


Arbeit über: Hauptspindel

Arbeitstyp:  $n_{\max}$: 22'800 [rpm] $i (n_i / n_o)$: 1 / 3.8

Befestigung: ER 11

Ohne Kühlmittel

Infos:

RSC1107-4x

Macchina: CITIZEN Cincom
Tipo: L32
Posizione, N°: T21 – T23
Lavoro al: Mandrino principale
Tipo di lavoro: 
 n_{max} : 22'800 [rpm]
 $i (n_i / n_o)$: 1 / 3.8
Ataccamento: ER 11
Senza refrigerante
Informazioni: